

# Effect of optimization framework on rigid and non-rigid multimodal image registration

Sayan Chakraborty<sup>a</sup>, Ratika Pradhan<sup>a</sup>, Nilanjan Dey<sup>b</sup>, Rubén González Crespo<sup>c,\*</sup>, João Manuel R.S. Tavares<sup>d</sup>

<sup>a</sup> Department of Computer Applications, Sikkim Manipal Institute of Technology, Sikkim 737136 India

<sup>b</sup> Department of Computer Science and Engineering, JIS University, Kolkata, West Bengal 700109 India

<sup>c</sup> Universidad Internacional de La Rioja, Logroño 26006 Spain

<sup>d</sup> Instituto de Ciência e Inovação em Engenharia Mecânica e Engenharia Industrial, Departamento de Engenharia Mecânica, Faculdade de Engenharia, Universidade do Porto, Porto 4200-465 Portugal

\*Corresponding author, e-mail: ruben.gonzalez@unir.net

Received 27 Jul 2021

Accepted 14 Aug 2021

**ABSTRACT:** The process of transforming or aligning two images is known as image registration. In the present era, image registration is one of the most popular transformation tools in case of, for example, satellite as well as medical imaging analysis. Images captured by difference devices that can be processed under same registration model are called multimodal images. In this work, we present a multimodal image registration framework, upon which ant colony optimization (ACO) and flower pollination algorithms (FPA), which are two meta heuristics algorithms, are applied in order to improve the performance of a proposed rigid and non-rigid multimodal registration framework and decrease its processing time. The results of the ACO and FPA based framework were compared against particle swarm optimization and Genetic algorithm-based framework's results and seem to be promising.

**KEYWORDS:** flower pollination algorithm, ant colony optimization, particle swarm optimization

## INTRODUCTION

In the wide domain of image processing and analysis, which includes, among others, feature extraction, pattern matching and image classification tasks, image registration has gained particular attention [1, 2]. Recent trends in this domain suggest that image registration is a major tool in the fields of medical imaging and satellite imaging. The process of transforming one image with respect to another image is referred to as image registration. The images involved in this task can be acquired using the same or different devices [3, 4]. If the images are acquired using the same device, then the image registration task is called monomodal registration [5]. On the contrary, if the images are acquired by different devices, then the registration is called multimodal registration [6, 7].

In the recent works related to image registration, it has been observed that the several researchers have used medical videos in the registration framework. Initially, the framework breaks the input video into multiple image frames and then it proceeds to the transformation of the images [8, 9]. Such process is called monomodal registration as

the video itself is acquired by the same imaging device. Medical image registration refers to registering one or more medical images with reference to another. Modality is an integral part of the image registration task. Images acquired with same device are called mono-modal images.

When the same sequence or scene is acquired with different devices, then it is called multi-modal image registration. Based on the imaging modality, the transformation matrix can change. Previously, considerably work has been focused on monomodal image registration [10]. But in this article, a comparative study of multimodal image registration is presented, and its performance optimization based on ant colony optimization and flower pollination algorithms [11] is analyzed. Additionally, the proposed image registration framework includes both rigid and non-rigid registration algorithms [12, 13].

Rigid registration refers to the transformation of one of the images to be register based on translation, rotation, scaling or the combination of these operations. Non-rigid registration does not obey the rules of rigid registration, although they might involve the rigid transformation, i.e., translation, rotation or/and scaling. As a result, the image produced

by a non-rigid registration algorithm [14–16] might have their objects warped or their shape might get changed. But, in case of rigid registration, the shape of the objects always remains intact. There have been numerous non-rigid registration algorithms [17, 18] introduced and modified over the years. In this study, the non-rigid affine registration is adopted due its similarity with rigid registration. Affine registration holds all the characteristics of rigid registration, but it also involves shearing of objects, if needed.

In the proposed framework, the objective function and scaling factor remain the same for both rigid and non-rigid affine registration [19] algorithms. In the experiments, the Roco dataset [11], which includes computer tomography (CT) images of lungs, was used. The images were acquired by different CT devices, which made the images multimodal.

The current work aims to optimize the performance of multi-modal registration, as it is one of the powerful tools which has a problem of producing bad result due to images being captured by different devices, resulting into dissimilarity between them. Hence, by optimizing the performance of the multimodal framework, it will be helpful for the current multimodal framework to perform better than usual, to enhance the quality of the images, as well as speed up the registration process. In this work, ROCO dataset's CT images were chosen. The fusion of the CT images can help in accurate detection and localization for any lungs related abnormality, captured by different CT devices.

This work uses different optimization algorithms for the multimodal registration framework's performance enhancement. Ant colony optimization has been proven to be one of the efficient and faster optimization techniques due its higher convergence rate. On the other hand, in our previous work, flower pollination algorithm has proven to be quite handful in improving the image registration process. Although we only investigated these two finest metaheuristic algorithms [12] on monomodal images on the Demons registration framework, we chose also to use it in the proposed framework. Previously, not much has been done to optimize the performance of the multimodal [13, 14] registration. Hence, the current work aims to present an in-depth analysis of the performance optimization of multimodal registration framework, so that the framework can work better than the existing multimodal registration models. The results of the proposed framework were later compared with the

results of particle swarm optimization and genetic algorithm-based approaches.

## PREVIOUS WORKS

Considerably amount of work has been introduced and used concerning multimodal image registration. In 2006, a multimodal image registration technique was proposed by Zöllei and Wells [5]. In this work the authors used entropy minimization to register MRI and EPI dataset pairs. In 2011, Yi and Soatto [1] proposed the spatial context MI based multimodal image registration. The authors evaluated the used of mutual information (MI) between high-dimensional distributions of images and used the MI-based registration on multimodal images. In 2013, Hopp et al [14] used FEM models and optimization based on intensity on multimodal registration, in which they used multimodal breast MRI images. They used structural similarity to optimize the framework. Arce-Santana et al [13] made a new approach towards multimodal image registration when they used expectation-maximization (EM) to calculate displacement vectors that are used in non-rigid image registration algorithm to form the transformation matrix. In 2015, Vicente et al [2] discussed about a 3D registration technique which involved multimodal images of anatomic (MRI) and functional (fMRI and PET) brain data. They registered MRI, fMRI and PET brain images by diffusion registration to evaluate the similarity measurement among the target image and resultant image.

Multimodal 3D rigid image registration based on expectation maximization was introduced by Velazquez-Duran et al [4]. In their work, the authors applied expectation maximization (EM) on rigid registration integrated on a 3D multimodal registration framework. Marcos et al [6] discussed multimodal frameworks in geospatial correspondences, in 2016. These authors used multimodal registration on multi-sensor images in order to show land-cover update and change detection problems. In 2016, Gutiérrez-Becker et al [15] used multimodal intravascular ultrasound (IVUS) images and applied deformable registration on them. In this work they used regression forest to optimize the framework and used normalized mutual information to find the optimal solution. A fast predictive multimodal image registration framework was proposed by Yang et al [7] in 2017. The authors applied large deformation diffeomorphic metric mapping (LDDMM) registration model on two different sets of MRI brain images. Zhang et al [8] applied automated point set registration on multimodal retinal

images in 2018. In their work, the authors used area based and feature based point set registration on a set of multimodal retinal images, which were acquired using different devices. One of the recent works in the field of multimodal registration involved Hu et al [20] using convolutional neural networks on the framework. In this work they used deformable registration on MR and TRUS images. Blendowski et al [3], in 2019, proposed multimodal image registration using shape encode-decoder. In this work, anatomical shape information is used for transformation matrix generation, and the proposed registration method is applied on 3D scans of whole heart. Adaptive stochastic gradient descent search implemented on non-rigid and affine multimodal registration framework by Daly et al [16] In this work, they used RIRE database images which were multimodal.

Hence, it is clear that a significant amount of work has been done in the field of multimodal registration [17, 18] framework, but all of them lacks proper optimization of the framework and analysis of such optimization technique. In the present work, we tried to analyze and inspect the performance optimization of the multimodal [19, 21] image registration framework.

## IMAGE REGISTRATION FRAMEWORKS

Based on the imaging modalities and the transformation involved, the image registration process can be divided into four groups.

### Monomodal registration

Monomodal registration [22, 23] refers to the registration process where the images involved are acquired by the same device. In such registration, there can be many applications, where the registration happens using images obtained from the same video. Also, monomodal registration [24] can be done, for example, on the acquired images by the same satellite for any moving object. The monomodal registration totally relies on the modality of the images rather on the acquisition device.

### Multimodal registration

Multimodal registration [16] refers to the process of registering images [25] acquired by different devices. This is one of the more complex cases of registration, as the registration framework often led to erroneous registrations due to the dissimilarity between the images in terms of resolution, size or even in terms of hue, saturation, contrast or color. If

the dissimilarity is high, then it becomes almost impossible to establish a transformation matrix, which leads to registration [26, 27] process failing. In the current work though, two multimodal images were chosen carefully, based on their similarity [28] with each other, so that the images does not become too much different from each other, leading to erroneous registration. The case of erroneous registration is mostly found when the acquisition devices are completely different.

### Rigid registration

The concept of rigid registration [21] is based on rigid transformation. The rigid transformation or rather rigid registration process only involves the transformation matrix [22] based on rotation, scaling and translation. These three geometrical operators, which can be applied individually or combined, are the key behind the rigid registration. The key significance of the process is: the shape of the objects in the images will never be changed or distorted as a result of the registration process as only rotation, scaling and translation are applied during the process.

### Non-rigid affine registration

Non-rigid registration refers to the registration which includes transformation of images which often forces the shape of the objects in the images being changed. There are various algorithms and techniques available in case of non-rigid registration such as: affine registration, B-spline's registration [28, 29] and Demons registration [30, 31]. In this study, affine registration [31] was chosen to represent the non-rigid registration [32] category, due to its vast similarity with the rigid registration. Affine registration uses affine transformation that includes rotation, scaling and translation like rigid transformation, but it also includes shearing, mapping and reflection, which forces to change the shape of the objects involved in the registering images.

## OPTIMIZATION TECHNIQUES

There are several optimization techniques that have been used in image registration [31]. Among them, a faster and a performer algorithm was chosen, the ant colony optimization algorithm.

### Ant colony optimization

Ant colony optimization [33] is a probabilistic algorithm used to solve problem statements by searching for optimal paths using graphs. The multi-agent method is used in this algorithm, which is inspired

by the behaviour of real ants. The process of ant colony optimization [34] has five main steps:

1. *Initialization.* The heuristic information and pheromone information are used to initialize the parameters of the algorithm.
2. *Solution construction.* For ant  $k = 1$  to  $n$ , the new solution is evaluated. The probabilistic rule is used in this step in order to identify new components for the solution. This probabilistic rule is sub-problem of  $k$ , which is the current state's function. It also uses pheromone and heuristic function.
3. *Solution evaluation.* For every ant acquired in step 2, the non-dominated solutions should be saved and the dominated solutions deleted.
4. *Update of pheromone matrices.* The pheromone matrix should be updated from the extracted information of new solutions.
5. *Termination.* The algorithm stops when the stopping criteria is met. The non-dominated solution is retrieved as an output. If it does not find the stopping condition, then it goes back to step 2.

Steps 1, 2 and 4 identify the significance and differences between the ants involved. Various kind of initialization, pheromone matrices update often leads to hybrid ant colony optimization. There are various types of ant colony optimization available based on their initiation procedure, such as:

- (i) single-group and multiple-group;
- (ii) single-pheromone matrix and multi-pheromone matrix;
- (iii) single-heuristic matrix and multi-heuristic matrix;

Single-group/multi-group ACO [35], which is based on the division of the ants into single or multiple different groups. All ants in a single group ACO share the common pheromone information. The heuristic information for all ants is also the same in case of single groups. Change of pheromone information affects the solutions [35] in such cases. For multi-groups ACO, the ants are divided into separate groups. It is possible to concatenate the generated solutions in case of multi-group. The solutions of each group can be merged and then can be reassigned to the groups. Hence, it can be said that the groups are not at all unrelated and they can interact with the help of the marginal ants. The key objective of all this is to update the pheromone information.

In the ant colony algorithm [34], the number of pheromone matrices refers to whether the algorithm is single-pheromone or multi-pheromone. In

case of single pheromone, the ants share a single pheromone matrix and work on solutions to update that pheromone matrix. In multi-pheromone matrix, each pheromone matrix affects the generated solutions.

ACO [35] also offers an option of having single heuristic matrix or multiple heuristic matrices. Multiple heuristic matrices are aggregated into a single heuristic matrix while generating the solution, in case of multi-heuristic matrix approach. In case of single heuristic, there is no such problem, as all ants share the same heuristic matrix.

For example, in the case of the travelling salesman, problem ants [31] will use a probabilistic rule to identify the best city to visit next. The pheromone information and heuristic information determines this probabilistic rule. In fact, it is the function of the pheromone [34] and heuristic information that are applied to evaluate the probability of the next city to visit. Additionally, the roulette wheel selection can be applied to choose the next city.

There are various ways to update pheromone information. The non-dominated solutions [35] can be used to update the pheromone matrix. The optimal solution of each weight vector can be used to update the information of pheromone matrices. For every objective, there is an optimal solution, which can again be used for the updating of pheromone matrices. The process of updating pheromone information can be different, but each of the process affects the quality of the solution.

### Flower pollination algorithm

The pattern of pollination of flowers inspired the concept [36] behind flower pollination algorithm. The main aim of this bio-inspired algorithm is to find optimal solution for any problem statement. Pollination can be biotic or abiotic. The transfer of pollens happens using pollinators such as insects, birds or other animals, in case of biotic pollination. The abiotic pollination does not involve any pollinators. Pollinations can also be of two types: self or cross pollination. If the flower's pollen transfer to different flower of same plant, then it is called self-pollination. Conversely, if the pollination happens with other flower [37] of other plant, then it is referred as cross pollination. As aforementioned, animals or birds or insects are often involved in the process of pollinations, acting as pollinators. These birds or insects do obey the Levy distribution while flying, making their motion containing levy flights rules. The pollinators only fly to specific flowers in search of food. The food reliability related to

**Table 1** Values of the used scaling factors.

Registration	Initial radius	Epsilon	Growth factor	Correlation <sup>†</sup>
Rigid	0.009	1.5e-4	1.01	0.8183
Affine	0.009	1.5e-4	1.01	0.8206

<sup>†</sup> Correlation between original vs. registered.

the definite species of flower affects the pollination, resulting in maximization of reproduction.

From the above-mentioned discussion, FPA follows the following specific rules [36]:

- Local pollination includes self-pollination and abiotic pollination;
- global pollination includes cross-pollination and biotic;
- if individual pollinators' stay at certain flower species or even if it changes to another species, then it is referred as flower devotion. Hence, correlation of the two flowers involved heavily affects the probability of reproduction;
- local- and global-pollination depends on the probability denoted by  $p \in [0, 1]$ . The probability relies on aspects such as wind, climate, physical proximity, etc.

Global pollination involves pollinators [37] as they help the pollens to travel to a distance. Hence, the evaluation of the pollination fittest ( $g^*$ ) solution is guaranteed in global pollination. The global pollination rule is defined as:

$$A_u^{t+1} = A_u^t + B(A_u^t - g^*), \quad (1)$$

where  $u$  is the solution vector,  $A_u^t$  is the pollen [35] that refers to  $A_u$  at iteration  $t$ , the current best solution is denoted by  $g^*$ , the pollination strength, or the step size, is denoted by  $B$ , with  $B > 0$  as the pollinators involved in the process do obey the Levy flights.

## PROPOSED METHOD

The current study focused on optimizing a multimodal registration framework. Fig. 1 indicates that the ROCO dataset [11] of multimodal images was used. Hence, multimodal images were selected and passed on to the framework. The registration process involved both rigid and non-rigid affine transformations. The optimization process is achieved using the metaheuristic algorithms in the registration framework. In the current study, flower pollination algorithm was used and compared with other metaheuristic algorithms such ant colony optimization, particle swarm optimization [38] and genetic algorithm [39]. Also, the initial radius, epsilon

**Table 2** Ant colony algorithm based affine multimodal registration.

Iteration	$k_1$	$k_2$	$k_3$	Correlation	Time (s)
5	74	72	71	0.9055	19.41
10	97	94	97	0.9045	70.59
15	99	99	99	0.9059	119.59
20	99	99	99	0.9059	172.09
25	99	99	99	0.9059	203.51
30	99	99	99	0.9059	241.47

**Table 3** Ant colony optimization algorithm-based rigid multimodal registration.

Iteration	$k_1$	$k_2$	$k_3$	Correlation	Time (s)
5	57	54	56	0.7596	24.19
10	97	97	97	0.9575	89.04
15	99	99	99	0.9584	127.96
20	99	99	99	0.9584	211.92
25	99	99	99	0.9584	247.13
30	99	99	99	0.9584	280.37

and growth factor of rigid and affine transformations were used as scaling factors. The values of the scaling factors and the correlation between the reference and registered images using the default values are indicated in Table 1.

## RESULTS

### Dataset

The dataset that has been used in the current study is the Radiology Objects in COntext (ROCO) [11]. This dataset contains a large amount of multimodal medical images, which has been used for image captioning generative models as well as in image classification. There is a subset of the ROCO dataset which is available at ImageCLEF 2019 [11] and has been used for concept detection task.

### Analysis

In the current study, a Intel i3, 2.2 GHz processor-based system and MatLab R2018a were used which is an essential tool for image processing, RGB color analysis in images [40], machine learning [41]. MatLab R2018a was used for running the image registration algorithm flower pollination algorithm,

**Table 4** Flower pollination algorithm based affine multimodal registration.

Iteration	$k_1$	$k_2$	$k_3$	Correlation	Time (s)
5	52	61	64	0.7608	765.24
10	71	72	86	0.8780	1554.63
15	92	98	98	0.9063	2515.98
20	98	98	98	0.9184	3221.76
25	98	98	98	0.9184	4139.22
30	98	98	98	0.9184	5067.39




Fig. 1 Flow chart of the optimized framework.

Table 5 Results found for the flower pollination algorithm based rigid multimodal registration.

Iteration	$k_1$	$k_2$	$k_3$	Correlation	Time (s)
5	67	65	72	0.7496	287.78
10	78	85	82	0.9564	411.38
15	98	98	98	0.9584	887.24
20	99	99	99	0.9584	1276.83
25	99	99	99	0.9584	1667.34
30	99	99	99	0.9584	1975.18

Table 6 Results obtained by the genetic algorithm based affine multimodal registration.

Iteration	$k_1$	$k_2$	$k_3$	Correlation	Time (s)
5	96	94	96	0.9055	398.65
10	92	92	90	0.9277	763.51
15	96	96	95	0.9285	1213.11
20	98	98	98	0.9184	1561.68
25	98	98	98	0.9184	1985.47
30	98	98	98	0.9184	2436.54

ant colony optimization, particle swarm optimization and genetic algorithm. From the ROCO dataset, multimodal computed tomography (CT) images of a pectus excavatum patient lungs were chosen for

Table 7 Results obtained by the genetic algorithm based rigid multimodal registration.

Iteration	$k_1$	$k_2$	$k_3$	Correlation	Time (s)
5	83	83	85	0.9573	393.88
10	96	96	95	0.9570	800.52
15	99	99	99	0.9584	1311.72
20	99	99	99	0.9584	1765.53
25	99	99	99	0.9584	2112.47
30	99	99	99	0.9584	2563.32

Table 8 Results obtained using the particle swarm optimization based affine multimodal registration.

Iteration	$k_1$	$k_2$	$k_3$	Correlation	Time (s)
5	65	78	81	0.8765	521.12
10	81	86	98	0.9070	952.03
15	98	98	98	0.9184	1505.93
20	98	98	98	0.9184	2122.15
25	98	98	98	0.9184	2732.71
30	98	98	98	0.9184	3411.27

Table 9 Results obtained by the particle swarm optimization based rigid multimodal registration.


Iteration	$k_1$	$k_2$	$k_3$	Correlation	Time (s)
5	71	49	74	0.7628	497.85
10	92	79	74	0.8780	926.88
15	99	99	99	0.8775	1428.72
20	99	99	99	0.8775	1923.87
25	99	99	99	0.8775	2671.33
30	99	99	99	0.8775	3212.73

testing the current image registration framework. The performance evaluation metric that was used, was the correlation coefficient between the reference and resultant images, which was calculated as [18]:

$$\text{Corr} = \frac{\sum_a \sum_b (K_{ab} - K')(L_{ab} - L')}{\sqrt{\sum_a \sum_b (K_{ab} - K')^2 \sum_a \sum_b (L_{ab} - L')^2}} \quad (2)$$

Table 2 reports the found evaluation metric values and the three optimized parameters, namely  $k_1$ ,  $k_2$ , and  $k_3$  for the ant colony algorithm based affine multimodal registration framework.

In Fig. 2a, one can observed that after 15 iterations, the optimal best fitness value was obtained,



**Fig. 2** Original, reference, and registered and registered without optimization images using: the ant colony algorithm based affine multimodal registration (a) and rigid multimodal registration (b); the flower pollination algorithm based affine multimodal registration (c) and rigid multimodal registration (d); the genetic algorithm based affine multimodal registration (e) and rigid multimodal registration (f); the particle swarm optimization based affine multimodal registration (g) and rigid multimodal registration (h).

which was equal to 0.9059. The original, reference and the resultant images are shown in this Fig. 2a.

Table 3 indicates the  $k_1$ ,  $k_2$ , and  $k_3$  values for ant colony algorithm based on the rigid multimodal registration. The population was kept fixed at 15, while iterations were increased by 5, from 5th to 30th generations.

In this case, also after 15th iterations, the values got converged, being the best fitness value obtained equal to 0.9584. From Table 3, it can also be realized that ant colony [33] performed faster than the other algorithms used in the registration framework. The obtained registered image as well as the original, target or reference image and registered image with default framework are shown in Fig. 2b.

It can be observed in Table 4,  $k_1$ ,  $k_2$ , and  $k_3$  values for the flower pollination algorithm [36] based affine multimodal registration framework. The iterations were varied from 5 to 30 while keeping the generation set always at 15.

From Table 4, it is clearly realized that after the 20th iteration, the convergence was achieved and the best fitness value obtained was of 0.9184. As previously noted, the best fitness was the correlation value [36] between the reference and resultant images. The original, reference and registered images are shown in Fig. 2c.

To make the analysis more prominent, the same framework was also applied using the rigid registration algorithm. The obtained values can be found in Table 5.

The obtained results are better than the results obtained based on affine registration using FPA [37], although they are almost identical to the ones obtained using the ant colony optimization [32] based rigid registration framework's optimal best fitness values. It should be noted that the current framework took longer time than the ACO based rigid registration model in each iteration, although the convergence of the process was found earlier than the ACO based model. The ROCO dataset images and the resultant image of the current framework are shown in Fig. 2d.

Table 6 presents the results obtained using the genetic algorithm based affine multimodal registration. The data of this table indicates that the genetic algorithm-based framework [39] might have performed faster, but the optimized values and results were quite poor compared to the ones obtained by the other frameworks. The obtained images are shown in Fig. 2e.

Table 7 presents the results obtained using the genetic algorithm based rigid multimodal [11] reg-

istration. These results suggest that the genetic algorithm-based rigid framework performed faster and that the results were quite better than the ones of the affine framework. Fig. 2f shows the resultant images [40] from the genetic algorithm based rigid registration framework.

The same study was performed using particle swarm optimization [38], which led to the results presented in Table 8.

The results in Table 8 let one conclude that the method was optimized after 15th iterations, but the results were not as good as the ones obtained using the genetic algorithm's rigid registration framework. PSO based affine registration framework's obtained images are shown in Fig. 2g.

The rigid registration-based framework was also applied using particle swarm optimization, Table 9.


It can be realized from Table 9 that the PSO based rigid registration produced the worst results among the methods discussed here. The original, target and registered images obtained from PSO based rigid registration framework are shown in Fig. 2h.

Rigid transformation seems to be faster than affine transformation due to its simplicity and less parameters involvement. Fig. 3a supports this observation taking into account different metaheuristic [40, 41] framework based non-rigid affine and rigid registration.

As shown in Fig. 3b, ant colony optimization performed clearly faster than flower pollination, genetic algorithm and particle swarm optimization. Although it can be observed in Fig. 3b that in terms of performance and results, the flower pollination algorithm based rigid registration outperformed all other methods discussed in the current work.

## DISCUSSION

In the present study, the focus was on registering multimodal images obtained from the ROCO dataset [11]. The scaling factors of rigid and affine registrations [4] were optimized and the correlation between the target and resultant images [41] was considered as the fitness function. Hence, the scaling factors causing to achieve the best fitness was stored in each iteration. After the 30th iteration, it was observed that flower pollination algorithm [38] was superior in terms of best fitness, which means that the resultant image produced by FPA based image registration framework (for both rigid and affine registrations) was the best among other the studied optimization frameworks. Although, in terms of time complexity, it was observed that ant



**Fig. 3** Analysis of the time complexity (a) and the best fitness values (correlation) (b) in various metaheuristic based multimodal non-rigid affine (left) and rigid (right) registrations.

colony optimization [32–34] outperformed all other techniques, as it converged and did the processing of registration faster than all the other compared frameworks.

## CONCLUSION

The current study was aiming to investigate the results of optimization and improving the resultant image of image registration on a multimodal dataset. It was observed that, as a result of the optimization, the image registration was improved in every aspect. Ant colony optimization and flower pollination algorithm were key highlights of the four studied metaheuristic algorithms, but, overall, it can be realized that the default registration values were quiet behind than the results of every metaheuristic based multimodal image registration framework. Ant colony optimization was the fastest among all, the whereas flower pollination algorithm based framework produced the highest fitness value among all studied frameworks, in case of rigid as well as non-rigid affine registrations. Affine transformation was mainly chosen because of its similarity with rigid registration, although it falls under the category of non-rigid transformation.

Future work, may include inspecting on other multimodal image registration frameworks, such as mutual information-based frameworks and the effects of optimization on the scaling factors of those registration models.

## REFERENCES

1. Yi Z, Soatto S (2011) Multimodal registration via spatial-context mutual information. In: Székely G, Hahn HK (eds) *Information Processing in Medical Imaging*, Lecture Notes in Computer Science vol 6801, Springer, pp 424–435.
2. Ferrández Vicente JM, Álvarez-Sánchez JR, de la Paz López F, Toledo-Moreo FJ, Adeli H (2015) *Artificial Computation in Biology and Medicine*, Lecture Notes in Computer Science vol 9107, Springer.
3. Blendowski M, Bouteldja N, Heinrich MP (2020) Multimodal 3D medical image registration guided by shape encoder-decoder networks. *Int J Comput Assist Radiol Surg* **15**, 269–276.
4. Velázquez-Durán MJ, Campos-Delgado DU, Arce-Santana ER, Mejía-Rodríguez AR (2020) Multimodal 3D rigid image registration based on expectation maximization. *Health Technol* **10**, 429–435.
5. Zöllei L, Wells W (2006) Multi-modal image registration using Dirichlet-encoded prior information. In: Pluim JPW, Likar B, Gerritsen FA (eds) *Biomedical Image Registration, WBIR 2006*, Lecture Notes in Computer Science vol 4057, Springer, pp 34–42.
6. Marcos D, Hamid R, Tuia D (2016) Geospatial correspondences for multimodal registration. In: *2016 IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, NV, USA, pp 5091–5100.
7. Yang X, Kwitt R, Styner M, Niethammer M (2017) Fast predictive multimodal image registration. In: *2017 IEEE 14th International Symposium on Biomedical Imaging (ISBI 2017)*, Melbourne, Australia, pp 858–862.
8. Zhang H, Liu X, Wang G, Chen Y, Zhao W (2018) An automated point set registration framework for multimodal retinal image. In: *2018 24th International Conference on Pattern Recognition (ICPR)* Beijing, China, pp 2857–2862.

9. Lucas B, Kanade T (1981) An iterative image registration technique with an application to stereo vision. In: *Proc DARPA Image Understanding Workshop*, University of British Columbia Vancouver, Canada, pp 121–130.
10. Irani M, Peleg S (1991) Improving resolution by image registration. *CVGIP Graph Models Image Process* **53**, 231–239.
11. *Radiology Objects in COntext (ROCO): A Multimodal Image Dataset*. Available at: <https://github.com/razorx89/roco-dataset>.
12. Li H, Manjunath BS, Mitra SK (1995) A contour based approach to multisensor image registration. *IEEE Trans Image Process* **4**, 320–334.
13. Arce-Santana E, Campos-Delgado DU, Viguera-Gómez F, Reducindo I, Mejía-Rodríguez AR (2014) Non-rigid multimodal image registration based on the expectation-maximization algorithm. In: Klette R, Rivera M, Satoh S (eds) *Image and Video Technology. PSIVT 2013*, Lecture Notes in Computer Science vol 8333, Springer, pp 36–47.
14. Hopp T, Dietzel M, Baltzer PA, Kreisel P, Kaiser WA, Gemmeke H, Ruitter NV (2013) Automatic multimodal 2D/3D breast image registration using biomechanical FEM models and intensity-based optimization. *Med Image Anal* **17**, 209–218.
15. Gutiérrez-Becker B, Mateus D, Peter L, Navab N (2016) Learning optimization updates for multimodal registration. In: Ourselin S, Joskowicz L, Sabuncu M, Unal G, Wells W (eds) *Medical Image Computing and Computer-Assisted Intervention – MICCAI 2016*, Lecture Notes in Computer Science vol 9902, Springer, pp 19–27.
16. Daly A, Yazid H, Solaiman B, Ben Amara NE (2020) Multimodal medical image registration based on a hybrid optimization strategy. In: *2020 5th International Conference on Advanced Technologies for Signal and Image Processing (ATSIP)*, Tunisia, pp 1–5.
17. Christensen GE, He J (2001) Consistent nonlinear elastic image registration. In: *Proc IEEE Workshop on Mathematical Methods in Biomedical Image Analysis (MMBIA 2001)*, Kauai, HI, USA, pp 37–43.
18. Hong G, Zhang Y (2005) The image registration technique for high resolution remote sensing image in Hilly area. In: *International Society of Photogrammetry and Remote Sensing Symposium*, USA, pp 1–6.
19. Siu A, Lau E (2005) Image registration for image-based rendering. *IEEE Trans Image Process* **14**, 241–252.
20. Hu Y, Modat M, Gibson E, Li W, Ghavami N, Bonmati E, Guotai W, Bandula S, et al (2018) Weakly-supervised convolutional neural networks for multimodal image registration. *Med Image Anal* **49**, 1–13.
21. Wahed M, El-tawel GS, El-karim AG (2013) Automatic image registration technique of remote sensing images. *Int J Adv Comput Sci Appl* **4**, 177–187.
22. Ashburner JT, Friston KJ (2007) Rigid body registration. In: *Statistical Parametric Mapping: The Analysis of Functional Brain Images*, Academic Press, pp 49–62.
23. Wang W, Liu L, Jiang Y, Kuang G (2011) Point-based rigid registration using geometric topological inference algorithm. In: *2011 3rd International Asia-Pacific Conference on Synthetic Aperture Radar (AP-SAR)*, Seoul, Korea, pp 1–3.
24. Smeets D, Keustermans J, Hermans J, Vandermeulen D, Suetens P (2012) Feature-based piecewise rigid registration in 2-D medical images. In: *2012 9th IEEE International Symposium on Biomedical Imaging (ISBI)*, Barcelona, Spain, pp 696–699.
25. Li Q, Sato I, Murakami I (2007) Affine registration of multimodality images by optimization of mutual information using a stochastic gradient approximation technique. In: *2007 IEEE International Geoscience and Remote Sensing Symposium*, Spain, pp 397–403.
26. Araki T, Ikeda N, Dey N, Chakraborty S, Saba L, Kumar D, Cuadrado Godia E, Jiang X, et al (2015) A comparative approach of four different image registration techniques for quantitative assessment of coronary artery calcium lesions using intravascular ultrasound. *Comput Methods Programs Biomed* **118**, 158–172.
27. Xie Z, Farin GE (2004) Image registration using hierarchical B-splines. *IEEE Trans Vis Comput Graph* **10**, 85–94.
28. Tustison NJ, Avants BA, Gee JC (2007) Improved FFD B-spline image registration. In: *2007 IEEE 11th International Conference on Computer Vision*, Rio de Janeiro, pp 1–8.
29. Hansen MS, Larsen R, Glocker B, Navab R (2008) Adaptive parametrization of multivariate B-splines for image registration. In: *IEEE Conference on Computer Vision and Pattern Recognition*, Anchorage, AK, USA, pp 1–8.
30. Lijuan Z, Dongming L, Junnan W, Hui Z (2012) High-accuracy image registration algorithm using B-splines. In: *2012 2nd International Conference on Computer Science and Network Technology (ICCSNT)*, Changchun, China, pp 279–283.
31. Freiman M, Voss SD, Warfield SK (2011) Demons registration with local affine adaptive regularization: application to registration of abdominal structures. In: *2011 IEEE International Symposium on Biomedical Imaging: from Nano to Macro*, Chicago, IL, USA, pp 1219–1222.
32. Mishra A, Mondal P, Banerjee S (2015) VLSI-assisted nonrigid registration using modified Demons algorithm. *IEEE Trans Very Large Scale Integr VLSI Syst* **23**, 2913–2921.
33. Stützle T (2009) Ant colony optimization. In: Ehr Gott M, Fonseca CM, Gandibleux X, Hao JK, Sevaux M (eds) *Evolutionary Multi-criterion Optimization. EMO 2009*, Lecture Notes in Computer Science vol 5467, Springer, pp 2–2.

34. Deng W, Xu J, Zhao H (2019) An improved ant colony optimization algorithm based on hybrid strategies for scheduling problem. *IEEE Access* **7**, 20281–20292.
35. Vimal S, Khari M, Crespo RG, Kalaivani L, Dey N, Kaliappan M (2020) Energy enhancement using multiobjective ant colony optimization with double Q learning algorithm for IoT based cognitive radio networks. *Comput Commun* **154**, 481–490.
36. Chakraborty S, Pradhan R, Samanta S, Ashour AS (2021) Optimization of non-rigid Demons registration using flower pollination algorithm. In: Dey N (ed) *Applications of Flower Pollination Algorithm and its Variants*, Springer, pp 25–44.
37. Yang XS (2012) Flower pollination algorithm for global optimization. In: Durand-Lose J, Jonoska N (eds) *Unconventional Computation and Natural Computation. UCNC 2012*, Lecture Notes in Computer Science vol 7445, Springer.
38. Geng N, Chen Z, Nguyen QA (2021) Particle swarm optimization algorithm for the optimization of rescue task allocation with uncertain time constraints. *Complex Intell Syst* **7**, 873–890.
39. Immanuel SD, Chakraborty UK (2019) Genetic Algorithm: An approach on optimization. In: *2019 International Conference on Communication and Electronics Systems (ICCES)*, Coimbatore, India, pp 701–708.
40. Wu Y, Wu Q, Dey N, Sherratt S (2020) Learning models for semantic classification of insufficient plantar pressure images. *Int J Interac Multi Artif Intell* **6**, 51–61.
41. Khari M, Garg AK, Gonzalez-Crespo R, Verdú E (2019) Gesture recognition of RGB and RGB-D static images using convolutional neural networks. *Int J Interac Multi Artif Intell* **5**, 22–27.